



## Spreading of Ammonium Nitrate with Bredal type: B2 / B3 / B4 / B6 / B8


You should not have higher rotations than 800 RPM, on the PTO when spreading Ammonium Nitrate.

Remember always to make a spread test in the field when spreading Ammonium Nitrate

Work width	RPM on PTO.	Down chute	Down chute B2-B6 before 1990	Down chute B4-B6 year 1991- 1997
12 m	500	2	(A measure) 155 mm	(A measure) 205 mm
15 m	700	2	(A measure) 155 mm	(A measure) 205 mm
16 m	700	2	(A measure) 155 mm	(A measure) 205 mm
18 m	800	3	(A measure) 165 mm	(A measure) 215 mm
20 m	800	4	(A measure) 175 mm	(A measure) 225 mm
24 m*	800	5,5	(A measure) 190 mm	(A measure) 240 mm

\* Only a strong quality of Ammonium Nitrate can be spread on 24 m.

These settings are only for spreaders mounted with round spread discs with 6 vanes (type "A").








## Spreading of Ammonium Nitrate with Bredal type: F2 / F2W / A2 / TX


You should not have higher rotations than 800 RPM, on the PTO when spreading Ammonium Nitrate.

Remember always to make a spread test in the field when spreading Ammonium Nitrate

<p>Work width</p> 	<p>RPM on PTO.</p> 	<p>Down chute</p> 
12 m	450	0
15 m	540	1
16 m	540	1
18 m	600	2
20 m	700	2,5
24 m	800	5
28 m	800	6
30 m	800	7

\* Only a strong quality of Ammonium Nitrate can be spread on 24 m, and above.

These settings are only for spreaders mounted with round spread discs with 6 vanes (type "A").








## Spreading of Ammonium Nitrate with Bredal type: K40 – K135

You should not have higher rotations than 800 RPM, on the PTO when spreading Ammonium Nitrate.

Remember always to make a spread test in the field when spreading Ammonium Nitrate

<p>Work Width</p> 	<p>RPM on PTO.</p> 	<p>Down chute</p> 
12 m	450	0
15 m	540	1
16 m	540	1
18 m	600	2
20 m	800	5
24 m	800	6
28 m	800	7

\* Only a strong quality of Ammonium Nitrate can be spread on 24 m, and above.

These settings are only for spreaders mounted with round spread discs with 6 vanes (type "A").

